

2006

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Special Locality Report

151

City of Fairfax

Information in this report is included in Report

29

(Fairfax County)

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route

Bypass - Bypass Route

Truck - Truck Route

 ALT - Alternate Route

Wye - Wye Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Fairfax

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
29 Lee Highway	City of Fairfax	0.16	43000	G	99%	0%	0%	0%	0%	0%	F	0.077	F	0.618	47000	G
29 Lee Highway	City of Fairfax	0.44	39000	G	99%	0%	0%	0%	0%	0%	F	0.077	F	0.604	43000	G
29 50 Lee Highway	City of Fairfax	0.96	36000	G	99%	0%	0%	0%	0%	0%	F	0.076	F	0.611	39000	G
29 50 Lee Highway	City of Fairfax	0.21	36000	G	99%	0%	0%	0%	0%	0%	F	0.074	F	0.579	39000	G
29 50 Lee Highway	City of Fairfax	0.59	43000	G	99%	0%	0%	0%	0%	0%	F	0.073	F	0.575	47000	G
29 50 Lee Hwy	City of Fairfax	0.68	42000	G	99%	0%	0%	0%	0%	0%	F	0.077	F	0.570	46000	G
29 50 Lee Highway	City of Fairfax	0.28	36000	G	99%	0%	0%	0%	0%	0%	F	0.082	F	0.604	40000	G
29 Lee Highway	City of Fairfax	0.08	36000	N	99%	0%	0%	0%	0%	0%	N	0.082	N	0.604	40000	N
29 237 Lee Highway	City of Fairfax	0.13	30000	N	98%	1%	1%	0%	0%	0%	N	0.085	N	0.514	34000	N
50 Lee Jackson Hwy	City of Fairfax	0.57	58000	G	98%	0%	1%	1%	1%	0%	F	0.079	F	0.522	64000	G
50 29 Lee Highway	City of Fairfax	0.96	36000	G	99%	0%	0%	0%	0%	0%	F	0.076	F	0.611	39000	G
50 29 Lee Highway	City of Fairfax	0.21	36000	G	99%	0%	0%	0%	0%	0%	F	0.074	F	0.579	39000	G
50 29 Lee Highway	City of Fairfax	0.59	43000	G	99%	0%	0%	0%	0%	0%	F	0.073	F	0.575	47000	G
50 29 Lee Hwy	City of Fairfax	0.68	42000	G	99%	0%	0%	0%	0%	0%	F	0.077	F	0.570	46000	G
50 29 Lee Highway	City of Fairfax	0.28	36000	G	99%	0%	0%	0%	0%	0%	F	0.082	F	0.604	40000	G
50 237 Arlington Blvd	City of Fairfax	0.28	33000	G	98%	0%	1%	1%	1%	0%	F	0.078	F	0.536	36000	G
50 Arlington Blvd	City of Fairfax	0.03	38000	G	98%	0%	1%	1%	1%	0%	F	0.081	N	0.572	41000	G
123 Chain Bridge Rd	City of Fairfax	0.47	27000	G	98%	0%	0%	1%	1%	0%	F	0.074	F	0.666	29000	G

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Fairfax

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
123 Chain Bridge Rd	City of Fairfax	0.26	23000	G	98%	0%	0%	1%	1%	0%	F	0.069	F	0.614	24000	G
123 Chain Bridge Rd	City of Fairfax	0.19	23000	G	98%	0%	0%	1%	1%	0%	F	0.074	F	0.641	24000	G
123 Chain Bridge Rd	City of Fairfax	0.10	22000	G	98%	0%	0%	1%	1%	0%	F	0.069	F	0.547	23000	G
123 Chain Bridge Rd	City of Fairfax	0.58	24000	G	98%	0%	0%	1%	1%	0%	F	0.069	F	0.530	25000	G
123 Chain Bridge Rd	City of Fairfax	0.35	43000	G	98%	0%	1%	0%	1%	0%	C	0.07	F	0.562	46000	G
123 Main St	City of Fairfax	0.94	40000	G	98%	0%	1%	0%	0%	0%	F	0.077	F	0.547	43000	G
236 Main St	City of Fairfax	0.21	16000	G	98%	0%	1%	0%	0%	0%	F	0.078	F		18000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		32000	G	99%	1%	1%	0%	0%	0%	0%	F	NA			35000	G
236 Main St	City of Fairfax	1.31	37000	G	98%	0%	1%	0%	0%	0%	C	0.083	F	0.522	40000	G
236 Little River Tpke	City of Fairfax	0.57	37000	G	97%	1%	1%	0%	1%	0%	F	0.078	F	0.519	40000	G
236 North St	City of Fairfax	0.30	16000	G	99%	1%	0%	0%	0%	0%	F	NA			17000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		32000	G	99%	1%	1%	0%	0%	0%	0%	F	NA			35000	G
237 Pickett Rd	City of Fairfax	0.49	27000	G	96%	0%	1%	1%	2%	0%	F	0.082	F	0.593	29000	G
237 Pickett Rd	City of Fairfax	1.17	28000	G	96%	0%	1%	1%	2%	0%	C	0.081	F	0.574	30000	G
237 50 Arlington Blvd	City of Fairfax	0.28	33000	G	98%	0%	1%	1%	1%	0%	F	0.078	F	0.536	36000	G
237 29 Lee Highway	City of Fairfax	0.13	30000	N	98%	1%	1%	0%	0%	0%	N	0.085	N	0.514	34000	N

Virginia Department of Transportation
Traffic Engineering Division

2006
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Fairfax

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Fairfax																
(F24) Phoenix Dr	0.09	NA				From: Fairfax County Line				NA			NA			
						To: Fairfax County Line										
(9128 29) 1700	0.18	1700	R			From: Fairfax High School				NA			NA		1991	
						To: US 29 Lee Hwy										
(9136 29) 290	0.08	290	R			From: Fairfax Elementary School				NA			NA		1991	
						To: Fairfax Elementary School										
(9598 29) 190	0.06	190	R			From: Eleven Oak Elem School				NA			NA		1991	
						To: Eleven Oak Elem School										
(1) Judicial Dr	0.22	13000	G	99%	0%	0%	0%	0%	0%	F	0.085	F	0.534	14000	G	2006
						From: Page St										
(1) Judicial Dr	0.43	12000	G	99%	0%	0%	0%	0%	0%	C	0.089	F	0.631	13000	G	2006
						To: SR 123 Chain Bridge Rd										
(2) Kenmore Dr	0.19	4700	G	99%	0%	0%	0%	0%	0%	C	0.084	F	0.644	5100	G	2006
						To: SR 123										
(3) Layton Hall Dr	0.29	4900	G	99%	0%	0%	0%	0%	0%	C	0.097	F	0.715	5400	G	2006
						To: University Dr										
(6623) Burke Station Rd	0.17	6100	G	99%	0%	0%	0%	0%	0%	C	0.089	F	0.696	6600	G	2006
						To: SCL Fairfax										
(6623) Burke Station Rd	0.31	6100	G	99%	0%	0%	0%	0%	0%	F	0.09	F	0.71	6600	G	2006
						To: SR 236 Main St										
(6625) Roberts Rd	0.27	8400	G	99%	0%	0%	0%	0%	0%	C	0.091	F	0.642	9200	G	2006
						To: Sager Ave										
(6625) Roberts Rd	0.25	3500	G	99%	0%	0%	0%	0%	0%	F	0.084	F	0.628	3800	G	2006
						To: SR 236 Main St										
(6627) University Dr	0.39	12000	G	99%	1%	0%	0%	0%	0%	C	0.095	F	0.561	13000	G	2006
						To: Armstrong St										
(6627) University Dr	0.21	13000	G	99%	1%	0%	0%	0%	0%	F	0.09	F	0.576	14000	G	2006
						To: South St										
(6627) University Dr	0.11	13000	N	99%	1%	0%	0%	0%	0%	N	0.091	N	0.599	14000	N	2006
						To: SR 236 Main St										
(6627) University Dr	0.22	13000	G	99%	1%	0%	0%	0%	0%	F	0.091	F	0.599	14000	G	2006
						To: Whitehead St										
(6627) University Dr	0.13	11000	G	99%	1%	0%	0%	0%	0%	F	0.082	F	0.502	12000	G	2006
						To: Layton Hall Dr										
(6627) University Dr	0.70	6200	G	99%	1%	0%	0%	0%	0%	F	0.101	F	0.501	6800	G	2006
						To: Layton Hall Rd										
						To: US 29 & 50; Lee Hwy										
(6628) Old Lee Hwy	0.41	13000	G	98%	1%	1%	0%	0%	0%	F	0.094	F	0.681	14000	G	2006
						To: Layton Hall Rd										
(6628) Old Lee Hwy	0.49	15000	G	98%	1%	1%	0%	0%	0%	F	0.101	F	0.665	16000	G	2006
						To: Heritage Lane										
(6628) Old Lee Hwy	0.19	14000	G	98%	1%	1%	0%	0%	0%	F	0.102	F	0.655	15000	G	2006
						To: Brookwood Rd										

Virginia Department of Transportation
Traffic Engineering Division

2006
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Fairfax

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
City of Fairfax																
(6628) Old Lee Hwy	0.25	14000	G	98%	1%	1%	0%	0%	0%	C	0.100	F	0.682	16000	G	2006
(6628) Old Lee Hwy	0.15	15000	G	98%	1%	1%	0%	0%	0%	F	0.101	F	0.687	16000	G	2006
(6628) Old Lee Hwy	0.55	13000	G	98%	1%	1%	0%	0%	0%	F	0.092	F	0.658	14000	G	2006
(6634) Jermantown Rd	0.30	13000	G							NA				14000	G	2006
(6634) Jermantown Rd	0.50	14000	G	98%	1%	1%	0%	0%	0%	C	0.08	F	0.614	16000	G	2006
(6634) Jermantown Rd	0.40	14000	G	98%	1%	1%	0%	0%	0%	F	0.085	F	0.622	15000	G	2006
Addison Road	250		G								0.104	F	0.519	250	G	2006
Confederate Lane	290		G								0.097	F	0.683	290	G	2006
Cornwall Road	550		G								0.109	F	0.521	550	G	2006
Democracy Ln	840		G								0.107	F		840	G	2006
Draper Dr	4100		G								0.087	F		4100	G	2006
Orchard St	2900		G								0.133	F		2900	G	2006
Pickett Rd	19000		G								0.086	F		19000	G	2006
Sager Ave	2700		G								0.114	F		2700	G	2006
School St	1600		G								0.096	F		1600	G	2006
Whitacre Rd	4400		G								0.129	F	0.799	4400	G	2006
Wilson Street	90		G								0.122	F	0.565	90	G	2006